
Live Access Server (LAS) – A Portal for In Situ Data Quality Control, Exploration and Sharing


Kevin O'Brien - University of Washington, JISAO, NOAA/PMEL, Seattle, WA, USA
Roland Schweitzer - Weathertop Consulting, LLC, College Station, TX, USA
Karl Smith - University of Washington, JISAO, NOAA/PMEL, Seattle, WA, USA
Eugene Burger- NOAA/PMEL, Seattle, WA, USA
Ansley Manke - NOAA/PMEL, Seattle, WA, USA
Robert Simons - NOAA/SWFC, Santa Cruz, WA, USA
Roy Mendelssohn - NOAA/SWFC, Santa Cruz, WA, USA
Benjamin Pfeil - Bjerknes Climate Data Centre, University of Bergen, Norway
Steve Jones - University of East Anglia, UK



LAS introduction

Line Plots Time

Catitude




Earth System Grid Federation

LAS introduction

Earth System Grid Federation

My NASA Data




LAS introduction

Earth System Grid Federation

My NASA Data

GFDL Data portal

Unified Access Framework





What is SOCAT?


- Surface Ocean CO2 Atlas
- •A high quality global surface CO2 dataset
- •Brings together all publicly available fCO2 (fugacity of carbon dioxide)
- Data and metadata standards required to participate in SOCAT agreed upon by CO2 community
- •Includes observations from ships, moorings and alternative platforms such as wave gliders


- Scientists collect observations through cruises, or moorings
- Data are submitted to SOCAT
- •SOCAT data is ingested into data portal along with complete metadata
- Other scientists review observations and metadata and assign:
 - •WOCE flags (2,3,4) for quality of fCO2 data values
 - •A overall cruise flag (A-F, S,X) based upon specified metadata requirements
 - •For example, to receive an "A" flag, a cruise must meet each of the following:
 - (1) Accuracy of calculated fCO₂w (at SST) is better than 2 μatm.
 - (2) A high-quality cross-over with another dataset is available.
 - (3) Followed approved methods/SOP criteria.
 - (4) Metadata documentation complete.
 - (5) Dataset QC was deemed acceptable.


Data is submitted to SOCAT














- After data is submitted for QC:
 - The CSV data files are regenerated as DSG trajectory files
 - •These individual files are then ingested into a service broker called ERDDAP
 - •ERDDAP then serves the data back out as a collection of DSG trajectories to LAS


LAS and QC





LAS and QC

















































































In this tool, users can....







.... and check for crossovers




Valid crossovers are required to give the cruise data the highest "grade" possible



This used to be a manual process, but now a click of the mouse will check automatically





EXPOCODES of valid crossovers are listed




the user into the

correlation viewer....







In Summary.....

The Live Access Server SOCAT portal

- •Allows scientists to work in their preferred data formats (ie, spreadsheets)
- Connects metadata and data (crucial for proper QC)
- Allows users to easily perform quality control and analysis
- Provides data in standards compliant netCDF DSG format
- Provides a path for data sharing and creation of data DOI's

Thank you!

Live Access Server: ferret.pmel.noaa.gov/LAS

SOCAT: www.socat.info

ERDDAP: coastwatch.pfel.noaa.gov/erddap